

Safety Data Sheet dated 6/7/2015, version 2



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: POXYCOL

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Reactive two-component adhesive for ceramic tiles and natural stone: COMPONENT A

Uses advised against:

All uses not included in the recommended uses

1.3. Details of the supplier of the safety data sheet

Company:

COLMEF SRL

Z.I. Ponte d'Assi

06024 - GUBBIO (PG)

Tel. +39-075-923561 (8:00-13:00;14:30-18:00)

Competent person responsible for the safety data sheet:

ufficiotecnico@colmef.com

1.4. Emergency telephone number

COLMEF SRL Tel. +39-075-923561 (8:00-13:00;14:30-18:00)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

- Warning, Skin Irrit. 2, Causes skin irritation.
- Warning, Eye Irrit. 2, Causes serious eye irritation.
- Warning, Skin Sens. 1, May cause an allergic skin reaction.

Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Symbols:



Warning

Hazard statements:

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P102 Keep out of reach of children.

P273 Avoid release to the environment.

P280 Wear protective gloves/clothing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.





P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions:

EUH205 Contains epoxy constituents. May produce an allergic reaction.

Contents

reaction product: bisphenol-A-(epichlorhydrin); epoxy resin bisphenol-F-(epichlorhydrin): May produce an allergic reaction.

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.: May produce an allergic reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number		Classification
5,5% - 7,5%	reaction product: bisphenol-A-(epichlorhyd	Index number:	603-074-00-8	3.3/2 Eye Irrit. 2 H319
	rin); epoxy resin	CAS:	25068-38-6	3.2/2 Skin Irrit. 2 H315
		EC:	500-033-5	3.4.2/1-1A-1B Skin Sens. 1,1A,1B H317
				4.1/C2 Aquatic Chronic 2 H411
1,5% - 2,5%	bisphenol-F-(epichlorhyd rin)	CAS: EC:	9003-36-5 500-006-8	3.3/2 Eye Irrit. 2 H319
				3.2/2 Skin Irrit. 2 H315
				3.4.2/1-1A-1B Skin Sens.
				1,1A,1B H317
				4.1/C2 Aquatic Chronic 2 H411
1,5% - 2,5%	oxirane, mono[(C12-14-alkyloxy)	Index number:	603-103-00-4	3.2/2 Skin Irrit. 2 H315
	methyl] derivs.	CAS: EC:	68609-97-2 271-846-8	3.4.2/1-1A-1B Skin Sens. 1,1A,1B H317
1% - 2%	toluene	Index number:	601-021-00-3	2.6/2 Flam. Liq. 2 H225
		CAS:	108-88-3	3.2/2 Skin Irrit. 2 H315
		EC:	203-625-9	◆ 3.9/2 STOT RE 2 H373
				3.10/1 Asp. Tox. 1 H304
				3.8/3 STOT SE 3 H336
				3.7/2 Repr. 2 H361d

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.





Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove all sources of ignition.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13





SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

toluene - CAS: 108-88-3

TLV TWA - 50 ppm, A4 - 188,4 mg/m³, A4 Skin

TLV STEL - A4 Skin

DNEL Exposure Limit Values

N.A.

PNEC Exposure Limit Values

N.À.

8.2. Exposure controls

Eye protection:

Use close fitting safety goggles certified in accordance with EN 166, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. certified in accordance with EN 374, part 1,2,3.

Respiratory protection:

In case of insufficient ventilation or prolonged exposure wear suitable respiratory protection equipment certified in accordance with EN 149-FFP2.

The life of the protection devices against the chemical agents depends on various factors (the way they are used, climatic factors and storage conditions), that can reduce also the life foreseen by CE standards.

Always consult the manufacturer's instructions.

Instruct the worker in the correct use of the equipment.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None





SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance **PASTE** Colour: BEIGE Odour: N.A. Odour threshold: N.A. N.A. pH: Melting point / freezing point: N.A. Initial boiling point and boiling range: N.A. Solid/gas flammability: N.A. Upper/lower flammability or explosive limits: N.A. Vapour density: N.A. Flash point: N.A. Evaporation rate: N.A. Vapour pressure: N.A. Relative density: N.A. Solubility in water: N.A. Solubility in oil: N.A. Apparent density (g/cm³): 1.80 Auto-ignition temperature: N.A. Decomposition temperature: N.A. Viscosity: N.A. Explosive properties: N.A. Oxidizing properties: N.A. 9.2. Other information Miscibility: N.A. Fat Solubility: N.A. Conductivity: N.A. Substance Groups relevant properties N.A.

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions None

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products None.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological information of the mixture:

N.A.

Toxicological information of the main substances found in the mixture:

toluene - CAS: 108-88-3

LD50 (RABBIT) SKIN: 14 G/KG (14000 MG/KG)

LD50 (RAT) YOUNGADULTS ORAL: 5542 MG/KG BW





If not differently specified, the information required in Regulation 453/2010/EC listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

12.2. Persistence and degradability

N.A.

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

14.1. UN number

14.2. UN proper shipping name

ADR-Shipping Name: --

IATA-Shipping Name: --

IMDG-Shipping Name: --

- 14.3. Transport hazard class(es) --
- 14.4. Packing group --
- 14.5. Environmental hazards --
- 14.6. Special precautions for user --
- 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 453/2010 (Annex II)

Regulation (EU) n. 286/2011 (ATP 2 CLP)





Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

None

Where applicable, refer to the following regulatory provisions:

Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments.

Regulation (EC) nr 648/2004 (detergents).

1999/13/EC (VOC directive)

Provisions related to directives 82/501/EC(Seveso), 96/82/EC(Seveso II):

N.A.

15.2. Chemical safety assessment No

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H319 Causes serious eye irritation.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

H225 Highly flammable liquid and vapour.

H373 May cause damage to organs through prolonged or repeated exposure if inhaled.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

H361d Suspected of damaging the unborn child.

Paragraphs modified from the previous revision:

SECTION 2: Hazards identification

SECTION 3: Composition/information on ingredients

SECTION 6: Accidental release measures

SECTION 8: Exposure controls/personal protection

SECTION 11: Toxicological information SECTION 12: Ecological information SECTION 13: Disposal considerations SECTION 15: Regulatory information

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

CCNL - Appendix 1

Insert further consulted bibliography

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.





CAS: Chemical Abstracts Service (division of the American Chemical

Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO).

IMDG: International Maritime Code for Dangerous Goods.
INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LTE: Long-term exposure.

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods

by Rail.

STE: Short-term exposure.

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day.

(ACGIH Standard).

WGK: German Water Hazard Class.





Safety Data Sheet dated 6/7/2015, version 2





SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: POXYCOL

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Reactive two-component adhesive for ceramic tiles and natural stone: COMPONENT B

Uses advised against:

All uses not included in the recommended uses

1.3. Details of the supplier of the safety data sheet

Company:

COLMEF SRL

Z.I. Ponte d'Assi

06024 - GUBBIO (PG)

Tel. +39-075-923561 (8:00-13:00;14:30-18:00)

Competent person responsible for the safety data sheet:

ufficiotecnico@colmef.com

1.4. Emergency telephone number

COLMEF SRL Tel. +39-075-923561 (8:00-13:00;14:30-18:00)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

- Warning, Acute Tox. 4, Harmful if swallowed.
- A Danger, Skin Corr. 1A, Causes severe skin burns and eye damage.
- Warning, Skin Sens. 1, May cause an allergic skin reaction.

Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Symbols:





Danger

Hazard statements:

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P102 Keep out of reach of children.

P273 Avoid release to the environment.

P280 Wear protective gloves/clothing.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.





P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

Special Provisions:

None

Contents

benzyl alcohol

3-aminomethyl-3,5,5-trimethylcyclohexylamine

1,3-bis(aminomethyl)benzene

3,6,9-triazaundecamethylenediamine; tetraethylenepentamine

3,6-diazaoctanethylenediamin; triethylenetetramine: May produce an allergic reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number		Classification
12% - 18%	benzyl alcohol	Index number:	603-057-00-5	3.1/4/Inhal Acute Tox. 4 H332 3.1/4/Oral Acute Tox. 4 H302
		CAS: EC:	100-51-6 202-859-9	3.1/4/Oral Acute 10x. 4 11302
6% - 9%	3-aminomethyl-3,5,5-tri methylcyclohexylamine		612-067-00-9 2855-13-2 220-666-8	3.1/4/Dermal Acute Tox. 4 H312 3.1/4/Oral Acute Tox. 4 H302 3.2/1B Skin Corr. 1B H314 3.4.2/1-1A-1B Skin Sens.
				1,1A,1B H317 4.1/C3 Aquatic Chronic 3 H412
5% - 7%	1,3-bis(aminomethyl) benzene	CAS:	1477-55-0	3.1/4/Inhal Acute Tox. 4 H332 3.1/4/Oral Acute Tox. 4 H302 3.2/1A Skin Corr. 1A H314 3.4.2/1-1A-1B Skin Sens. 1,1A,1B H317 4.1/C3 Aquatic Chronic 3 H412
1% - 2%	3,6,9-triazaundecamet hylenediamine; tetraethylenepentamin e	Index number: CAS: EC:	612-060-00-0 112-57-2 203-986-2	3.1/4/Dermal Acute Tox. 4 H312 3.1/4/Oral Acute Tox. 4 H302 3.2/1B Skin Corr. 1B H314 3.4.2/1-1A-1B Skin Sens. 1,1A,1B H317





				4.1/C2 Aquatic Chronic 2 H411
1% - 3%	3,6-diazaoctanethylene diamin; triethylenetetramine	Index number: CAS: EC:	612-059-00-5 112-24-3 203-950-6	3.1/4/Dermal Acute Tox. 4 H312 3.2/1B Skin Corr. 1B H314 3.4.2/1-1A-1B Skin Sens. 1,1A,1B H317 4.1/C3 Aquatic Chronic 3 H412

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do NOT induce vomiting.

Give nothing to eat or drink.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove all sources of ignition.





Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

1,3-bis(aminomethyl)benzene - CAS: 1477-55-0

ACGIH - LTE: 0.1 mg/m³

DNEL Exposure Limit Values

N.A.

PNEC Exposure Limit Values

N.A.

8.2. Exposure controls

Eye protection:

Use close fitting safety goggles certified in accordance with EN 166, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. certified in accordance with EN 374, part 1,2,3.

Respiratory protection:

In case of insufficient ventilation or prolonged exposure wear suitable respiratory protection equipment certified in accordance with EN 149-FFP2.

The life of the protection devices against the chemical agents depends on various factors (the way they are used, climatic factors and storage conditions), that can reduce also the life foreseen by CE standards.

Always consult the manufacturer's instructions.





Instruct the worker in the correct use of the equipment.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance LIQUID Colour: BEIGE Odour: N.A. Odour threshold: N.A. :Hq 12 Melting point / freezing point: N.A. Initial boiling point and boiling range: > 190℃ Solid/gas flammability: N.A. Upper/lower flammability or explosive limits: N.A. Vapour density: N.A. > 100 ° C Flash point: Evaporation rate: N.A. Vapour pressure: N.A. Relative density: N.A. Solubility in water: N.A. Solubility in oil: N.A. Apparent density (g/cm³): 1.80 Auto-ignition temperature: N.A. Decomposition temperature: N.A. Viscosity: N.A. Explosive properties: N.A. Oxidizing properties: N.A. 9.2. Other information Miscibility: N.A. Fat Solubility: N.A. Conductivity: N.A. Substance Groups relevant properties N.A.

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions
None

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products None.





SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological information of the mixture:

N.A.

Toxicological information of the main substances found in the mixture:

benzyl alcohol - CAS: 100-51-6

LD50 (RABBIT) SKIN SINGLE DOSE: 2000 MG/KG

3,6,9-triazaundecamethylenediamine; tetraethylenepentamine - CAS: 112-57-2

LD50 (RABBIT) SKIN: 660 MG/KG

If not differently specified, the information required in Regulation 453/2010/EC listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure:
- i) aspiration hazard.

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

12.2. Persistence and degradability

N.A.

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information







14.1. UN number

ADR-UN Number: 2735 IATA-UN Number: 2735 IMDG-UN Number: 2735

14.2. UN proper shipping name

ADR-Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S. IATA-Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S. IMDG-Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S.

14.3. Transport hazard class(es)

ADR-Class: 8

ADR - Hazard identification number: 88

IATA-Class: 8
IATA-Label: 8
IMDG-Class: 8

14.4. Packing group

ADR-Packing Group: III
IATA-Packing group: III
IMDG-Packing group: III

14.5. Environmental hazards

ADR-Enviromental Pollutant: - IMDG-Marine pollutant: No

14.6. Special precautions for user

ADR-Subsidiary risks:

ADR-S.P.:

ADR-Tunnel Restriction Code:

IATA-Passenger Aircraft:

IATA-Subsidiary risks:

IATA-Cargo Aircraft:

IATA-S.P.:

IATA-ERG:

IMDG-EmS:

IMDG-Subsidiary risks:
IMDG-Storage category:
IMDG-Storage notes:

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 453/2010 (Annex II) Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

None

Where applicable, refer to the following regulatory provisions:

Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments.





Regulation (EC) nr 648/2004 (detergents). 1999/13/EC (VOC directive)

Provisions related to directives 82/501/EC(Seveso), 96/82/EC(Seveso II):

N.A.

15.2. Chemical safety assessment

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H332 Harmful if inhaled.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

Paragraphs modified from the previous revision:

SECTION 2: Hazards identification

SECTION 3: Composition/information on ingredients

SECTION 4: First aid measures

SECTION 6: Accidental release measures

SECTION 7: Handling and storage

SECTION 8: Exposure controls/personal protection

SECTION 11: Toxicological information SECTION 15: Regulatory information

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,

Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van

Nostrand Reinold CCNL - Appendix 1

Insert further consulted bibliography

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.

CAS: Chemical Abstracts Service (division of the American Chemical

Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Aviation Organization.





ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO).

IMDG: International Maritime Code for Dangerous Goods.
INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LTE: Long-term exposure.

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods

by Rail.

STE: Short-term exposure.
STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day.

(ACGIH Standard).

WGK: German Water Hazard Class.

